



**RICHARD
L. KRABBENDAM**

Compulsory Bring:

Scientific Calculator and Ruler
as this will be a Theory and
Hands-On Training.
A Geometry set will be helpful
as well but not compulsory.

ADVANCED HEAVY LIFT AND TRANSPORTATION: Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

*Best Practices and Standards in Management, Calculation,
Application and Safety*

26th – 29th November 2018 London, UK

Biography of Richard L. Krabbendam

Richard Krabbendam started his Heavy Transport and Lifting career as a Heavy Lift Transport Engineer with Big Lift, Dordrecht, The Netherlands in 1973. By 1979, he was awarded the largest contract in Big Lift's history by Saudi Aramco.

After Big Lift was taken over by Mammoet Transport, half a year later he then co-founded ITREC, and joined forces with Huisman Special Lifting Equipment focusing on the sales of the new crane concepts for offshore lifting and working as a Heavy Transport and Lifting Consultant.

A Master of Mechanical Engineering from Delft University of Technology, he has also worked with Van Seumeren Holland B.V and Mammoet. Richard has also spent a significant amount of years with Jumbo Offshore, where he was involved in the development of its super heavy lift carrier fleet, the J-Class, which uses two 900 ton mast cranes for subsea installation works and since 2009 has been equipped with a newly installed deepwater lowering system enabling Jumbo to transport and install heavy loads in up to 3000 m water depths. Aside that, Richard was also responsible for the "Total Transport Projects" which involved the transportation of the heavy lifts from workshop floor until placed onto foundation on the jobsite. Other projects involved beachlandings on remote islands in Indonesia and Malaysia as well as crossing the Andes.

The founder of Krabbendam Advies Service, Richard is now a Heavy Lift Consultant and conducts trainings all over the world with the mission to improve the safety and knowledge in the Heavy Lift & Transport Industry.

Up to date Richard has presented a total of 85 Seminars in 23 countries all over the world.

- General Knowledge and Introduction
- Forces, Mass and Center of Gravity
- Heavy Transport with Hydraulic Platform Trailer
- Lifting of Loads with Two or More Cranes
- Maintenance and Inspection
- Skidding, Jacking and Moving Techniques
- Set up of a Project Planning
- Preparation of a Cost Estimate
- Load-outs of Extreme Heavy Lifts
- Safety and Risk Analysis
- Heavy Lift Shipping
- Offshore Lifting and Installation Techniques
- Accidents and how to avoid them
- The Do's and Don't of Lifting
- Competency Exam

Meet the Practitioner

A specialist and industry expert on Land and Offshore, Richard is a globally renowned trainer in Heavy Lifting, Transport, Shipping and Offshore and has 42 years of experience.

Key Takeaways:

- Building a lift plan
- Choosing the right crane
- Using a tail crane
- Selecting the right platform trailer or SPMT
- Estimating forces in lifting sling
- Calculating the average ground load under an SPMT or Hydraulic Platform trailer
- Avoiding accidents and improving safety
- Calculating the center of gravity properly
- Selecting the right spreader beam
- Calculating saddle loads
- Trailer stability guidelines
- Staying in control of weights

ADVANCED HEAVY LIFT AND TRANSPORTATION:

Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

Best Practices and Standards in Management, Calculation, Application and Safety

26th – 29th November 2018 | London, UK

Workshop Overview

This course offers a platform for your Heavy Transport and Lifting Projects on land as well as offshore and at sea. Attention is dedicated to safety, accident analysis and discussions on how accidents can be avoided and dealt with.

Who Should Attend

- CEOs and Company owners
- Expert Riggers
- Lifting Engineers
- Operations Managers
- Construction Engineers
- Onshore / Offshore Project Managers & Planners
- Construction managers
- Transport & Lifting supervisors
- Marine Warranty Surveyors
- Cargo Superintendents
- Freight forwarders
- Sales engineers
- Offshore Installation Engineers
- Naval Architects / Marine Engineers
- Structural Engineers
- HSE Managers & Engineers

Industries That Should Attend

- Shipyards
- Module Fabrication Yards
- EPCI Contractors
- Freight Forwarding
- Construction Contractors
- Crane Rental and Transport Contractors
- Civil Construction Industry
- Power Plant builders
- Renewables
- Heavy Transport contractors
- Salvage contractors
- Project logistics Companies
- Wind Turbine Erectors
- Offshore fabrication yards
- SURF Contractors
- Insurance companies
- Consultants
- Oil Companies

Customisation:

The programme will be further customised to fit your priorities through the pre-course questionnaire (PCQ).

Internal Training:

This programme is available as an internal training.
Email us to find out more at: alvin.yong@olygen.com

Estimated Time Schedule

0830 – 0900	Registration
0900 – 1030	First Morning Half
1030 – 1045	Morning Break
1045 – 1230	Second Morning Half
1230 – 1330	Lunch
1330 – 1500	First Afternoon Half
1500 – 1515	Afternoon Break
1515 – 1700	Second Afternoon Half

ADVANCED HEAVY LIFT AND TRANSPORTATION:

Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

Best Practices and Standards in Management, Calculation, Application and Safety

26th – 29th November 2018 | London, UK

More About the Trainer- Richard L. Krabbendam

Partial List of Companies who benefited from Richard's training

- Bay Crane & Rigging New York , Norway and the Netherlands
- Larsen & Toubro Ltd India.
- Sevan Marine APL Norway
- Yew Choon Singapore
- Agility Transoceanic Netherlands
- Shell Netherlands
- Eurorigging Netherlands
- IHC Merwede
- Westdijk Exceptional Transport
- Wagenborg-Nedlift
- Ravenstein Netherlands
- Allseas Engineering Netherlands
- Lloyds Register Rotterdam
- Broekman Freight Forwarders
- Workfox Hoofddorp
- Bluewater Hoofddorp
- Bertling Freight Forwarders London
- Fracht AG Frankfurt
- Alstom Switzerland
- Huisman Fujian Steel Manufacturing China
- Sarilar Crane & Transport Turkey
- MELI (Middle East Logistics Institute for Training), part of the Al Majdouie Group of Companies
- DHL Industrial Projects
- LV Shipping
- Power Grid Corporation of India
- Hollandia Steel Structures Holland
- Coordinadora Internacional De Cargas Spain
- TTS Norway

Testimonials

"I have enjoyed every moment listening to your presentation and sure learned a lot of things."

Jacobs Engineering

"Very experienced, knowledgeable and willing to share."

Defense, Science and Technology Agency (DSTA)

"Very detailed in explanations and examples which are based on experiences."

Petronas

"Highly Recommended for his generosity towards sharing of his past experiences as well as his vast experience in Heavy Lift."

Shell

"The information is excellent as well as his experience and expertise."

BP

"You have enlightened my lifting knowledge and understand the force and actual weight of every lifts."

Singapore Refining Company

"One of the best courses I've attended in my 15 years experience; combined technical and its application perfectly. Gave me what I needed to do my job better."

LKC

"Great presentation skills and his knowledge is excellent."

INPEX

"Excellent and very knowledgeable."

Foster Wheeler

"He is the worlds best Heavy Lift Specialist."

BDP International

"He has in depth knowledge and experience to train people like us."

Chevron

"Massive Experience and Knowledge."

Petroleum Development Oman

"Lots of experience in various fields and clear explanations. Excellent."

PTTEP

"Very experienced in the field and good at explaining the theories."

Bechtel

ADVANCED HEAVY LIFT AND TRANSPORTATION:

Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

Best Practices and Standards in Management, Calculation, Application and Safety

26th – 29th November 2018 | London, UK

Projects



Transport & shipment of a 93 m long and 725 ton heavy CO2 splitter from Pt. Marghera, Italy to the Quatum Refinery in Houston, USA.



Shipment and Transport of Heavy Columns for TPI Refinery Rayong, Thailand



Transport and lifting work for Saudi Aramco



Transport of a 725 Tons column



Load-out of two compression modules (1750 Ts + 1865 Ts) for Shell / Petronas Malaysia




Load-out of 2x700 tons Offshore desk at Hindustan Shipyard in Visakapatnam, India



Erection of a 220 Tons column with an unguided lift gantry in Kerteh Malaysia, project was carried out in close co-operation with freight forwarder Kontena Nasional



Lifting of a 330 tons CO2 tower at NSM in Sluiskil



Transport of a 260 tons Gassphere from Belgium to Immingham

ADVANCED HEAVY LIFT AND TRANSPORTATION:

Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

Best Practices and Standards in Management, Calculation, Application and Safety

26th – 29th November 2018 | London, UK

PLEASE BRING!

Scientific Calculator
Ruler

Course Outline

1. General Knowledge and Introduction

- Transport Means
- Different Lifting- & Transport types
- Cranes
- Largest Mobile Cranes available
- Huisman Compact Ringer Crane Containerised (CRC 2500-5000 m)
- Various cap. Charts and applications of PTC-DS-140 and DS-200
- Various moving techniques shown in one project
- Conventional Trailers
- Various Heavy Transport / Trailers types
- Platform trailers
- Different Crane Types
- Various Types of Heavy Lift Vessels
- Major Offshore EPC Wind Farm Contractors
- Offshore installation vessels
- Terms & Abbreviations
- Some definitions:
- Some definitions:
Min. Break load, Safe Working Load, Working Load Limit, Test load, Mass and weight, lifting capacity, max. allowable ground load, safety factors, etc.

2. Forces, Mass and Center of Gravity

- Difference between mass (kg) and force (N)
- Newtons three laws of motion
- First Law of Newton (Law of Inertia)
- Second and Third Law of Newton (Force Changes Motion)
- Forces acting on a body
- Some formulas to calculate forces
- How to Calculate Power
- Calculating the required Horse Power
- Calculation of Centrifugal Forces
- Standard triangles
- Something about forces
- Videos illustrating "No control of forces"
- Composing of forces
- Head-Tail Method (Summary of composing of forces)
- Summary (composing of Forces)
- Principle of moment (moment equation)
- Principle of Center of Gravity
- Calculating the Center of Gravity
- Calculating Outrigger Loads of a crane
- Wind force (video shots on accidents due to wind force)
- Wind Force (Scale of Beaufort) + Video Milwaukee Accident)
- Wind force
- Water force
- Accelerations and decelerations
- Friction forces (when sliding) Forces on vessels
- Important sling angles
- Calculation of weights
- Estimating of Weight of different loads
- Essential information for Transport & Lifting Projects

3. Heavy Transport with Hydraulic Platform trailer

- Difference between platform trailers and standard flatbed trailers
- USA Dolly compared to Platform Trailers
- Principle of a hydraulic platform trailer
- Capacity / Specification of Conventional platform trailers
- Platform Trailer selection for 466 Tons load
- Platform Trailer selection for 810 Tons load
- Capacity / Specification of Self Propelled Modular Transporter (SPMT)
- Example of 1050 Tons load on SPMT's
- Platform Trailer selection for 495 Tons load
- Stability of Trailers (Tipping Lines + Hydraulic)
- Stability: 3- and 4- point suspension system, pro's- and con's
- A Load placed on a flat bed Trailer
- Stability of a SPMT 3-point versus 4-point suspension
- Symmetrical and A-symmetrical Stability of SPMT's (double wide)
- Alternative 3-Point stability system of Platform trailers (SPMT's or Conventional)
- Critical Stability of a single SPMT used in dolly configuration with turntables
- Tipped over Transport Combination
- Conventional Platform Trailer with load tipped over
- Stability of a Conventional Hydraulic Platform Trailer
- Axle loads (A-Symmetrical suspension point)
- Calculation of axle loads
- Calculating the average ground pressure (Load spreading mats)

- Realistic ground pressure profile
- Load on ground surface or steel deck
- Goldhofer Faktor 5 Trailer
- Steering principle of platform trailers (Conventional)
- Principle of Steering (SPMT's)
- Video: Different steering modes of SPMT's
- Heavy Duty tractor versus required pulling force
- Video: 230 ton Generator RoRo Operation
- Calculating the required needed pulling force in Tons
- Estimation of the pulling force of a HD Tractor
- Choice of Trailer configuration for 520 tons load
- Video: Transport of 420 tons column by barge and SPMT's
- Job site preparation
- Choice of trailer configuration for a load
- How many tractor units are needed for a particular load?
- Choice of Trailer configuration for a 16 m Sphere of 260 Tons
- Choice of Trailer configuration for a Load
- The Transport Plan
- Recommendations

4. Lifting of loads with two or more cranes

- Differences in Lifting of Load
- Crane Capacity rating (Load moment)
- Quick Reference capacity Chart for Hydraulic cranes
- Different Boom (crane) types
- Setting up of a Lift plan (work drawing: side-view, top-view, back-view)
- Set-up of a lift plan for the erection of a 320 tons reactor
- Excel Program "Boom clearance"
- Set-up of a Lift plan for erection of a reactor
- Video: Lifting of a 320 Tons reactor
- The Moment equation and the application in the field
- The load in each crane depends on the location of CoG and angle with horizon
- Location of CoG in relation to the lift points (various examples)
- Calculating of Loads on Trailers & Saddles
- The 10 Golden rules for Lifting a Load
- Mobile Crane Hand signals
- Tail crane and distribution of load between tail crane and main lift crane
- Excel program for calculating Tail load and main lift crane load
- Lifting of a Load with two or more cranes (position of cranes)
- The lifting of two large refinery columns with 3 cranes
- The inclinometer (Continue lifting a two refinery columns with 3 cranes)
- Video: Lifting 520 tons column
- Sling Plan and forces in lifting slings
- Top angle never more then 120°
- Standard triangles
- The Cog is always suspended straight under the hook
- Calculation of the force in each sling (equal and unequal lengths)
- Use the graphical method in defining sling forces
- Calculate sling forces S1 and S2 at Different elevations of the lift points
- Calculate the sling length with an a-symmetrical location of CoG
- Define the force in each sling
- Calculate the forces in the spreader beam
- Calculate the forces in slings and spreader beam
- The Stability criteria of a crane
- Stability of a load to be lifted
- The Stability Range
- The Stability Moment of the load to be lifted
- The Stability of the Load to be Lifted
- The Stability of the load with 3 lift points below the CoG
- The Stability of the load to be lifted
- Lifting a 650 tons reactor with two cranes of 250 Tons and 400 tons Cap
- Use of lifting- and spreader beams
- Lift beam (800 Tons) and Spreader (1000 Tons)
- Use of lifting- and spreader
- Use of various Lifting beams
- Loading directions of lifting points
- Details of steel load spreading mat
- Work factors (Safety Factors)
- Sling capacities in various applications
- Grommet capacities in various applications
- Applying slings to a load
- Calculate the loads in these two examples

5. Maintenance and inspection

- Inspection criteria for Lifting Equipment
- Maintain, Inspect, Check and Test
- Inspection criteria for Lifting Equipment

ADVANCED HEAVY LIFT AND TRANSPORTATION:

Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

Best Practices and Standards in Management, Calculation, Application and Safety

26th – 29th November 2018 | London, UK

Course Outline

- Excessive wear on Crane sheaves
 - Maintenance recommendations for transport equipment
 - Work factors (Safety Factors)
 - Identification and CE Marks
- 6. Skidding, Jacking & Moving Techniques**
- Various Skidding & Moving techniques
 - Skidding Techniques
 - Stainless Steel on PTFE Blocks (Teflon)
 - Enerpac Skidding solutions
 - Hydra-Slide skidding systems
 - Holmatro Skidding Systems
 - Skidding a Transformer onto Foundation (Holmatro) (video)
 - ALE Skid shoe system SKS-1000 (1000 T Cap.)
 - Skid system for extreme heavy loads
 - Skidding of 17,000 Tons Offshore Jacket
 - Using Strand jacks as lifting devices
 - Working principle of Strand jacks
 - ALE's Super Crane SK-190/SK-350 using strand jacks
 - Jacking and skidding Methods
 - Jacking towers and hydraulic gantries
 - Hydraulic Gantry System to install Power Generation Equipment
 - ALE's Mega Jacking systems (up to 40,000 tons) + Mammoet Push-Up System
 - Airbags, Water skates, Air Pallets
- 7. Set up of a Project planning**
- Making a Project Planning
 - What is a "Bar Chart" planning schedule
 - Example: Lifting a 320 Tons reactor
 - Example: Lifting a traffic gantry over a Highway
 - Critical path in a Planning Schedule
 - Another example
- 8. Preparation of a cost estimate**
- Why a Cost estimate
 - Essential to cost estimates
 - Make a Lift plan and Transport plan and find out what is needed
 - On basis of a plans make a Planning Schedule
 - Prepare cost estimate on basis of Planning Schedule
 - Example of Cost estimate
 - Recommendations
- 9. Load-outs of extreme Heavy Lifts**
- Various Ro-Ro operations
 - Necessary information for Ro-Ro operation
 - Something about Tide Tables and Tides
 - Make use of the tidal conditions
 - Roll-on to free floating barge (Tidal)
 - Roll-on to free floating barge (Non Tidal)
 - Roll-on via steel plates (Non Tidal)
 - Roll-on to barge fixed aground
 - Beach landing, barge fixed aground
 - Examples of a beach landing
 - Positioning of SPMT's under the load
 - Technical data latest generation of SPMT's (Cometto 70 T/axle line)
 - Technical data of Goldhofer SPMT's (Improved stability)
 - Roll-off with a 2400 Tons HRSG Module
 - Ro-Ro ramps or steel plates
 - Configure right Transport Combination for 1865 Tons Module
 - Configure right Transport Combination for 12,400 Tons Topside
 - Video: Load-out 12,400 Tons Topside: Transport beams-Sea fastening combined
 - Load-out of 12,400 Tons Module
 - Load-out of Special Structures
 - Transport & Load-out of a large Module (2350-4800 Ton)
 - Site Moves of Heavy Loads
 - Load diagrams of Platform trailers
 - Moving various Heavy Loads
 - Recommendations
- 10. Safety and Risk Analysis**
- Video: BP Safety video
 - History of Jumbo's Safety Policy
 - Part of Jumbo's QHSE Policy Statement
 - Slips and Falls cause the majority of injuries on board ship
 - What is right and what is wrong in these pictures
 - Excessive Noise can Damage your hearing
 - Accidents still happen
 - Safety improvement Program
 - What is Safety: Culture, Planning, Procedures
 - Safety Awareness Culture Ladder
 - Safety Awareness Culture Ladder Explanation
 - The Iceberg Theory
 - How do we Record & Analyze?
 - Some Definitions
 - What are our goals?
 - Safety Culture and Awareness
 - How?
 - Use Proper PPE=Personal Protective Equipment
 - Reduce 20% of causes and you reduce 80% of all accidents
 - Keep Welding and Cutting equipment in Good Condition
 - Use proper PPE = Personal Protective Equipments
 - PPE and good accessible lifting points
 - Accident & Incident Reporting and Analysis
 - Video: Stay Focused
 - Safety Requirements & Procedures
 - Use a Risk Matrix
 - Risk Matrix. Frequency x Consequence = Risk
 - The theory of the Swiss Cheese
 - Guide line Job Hazard Analysis
 - Job Hazard analysis(JHA)
 - Safety Awareness Posters
 - Is it all OK?
 - Identification of Hazards
 - Why, When and How a "Toolbox Meeting"
 - Last Minute Risk Analysis (LMRA)
 - Co-operation with Client is essential
 - Examples of well secured Transport saddles
 - Examples of badly secured Transport saddles +Video
 - Conclusion: Things To Remember
- 11. Heavy Lift Shipping**
- Various Types of Heavy Lift Ships: Lo-Lo
 - Various Types of Heavy Lift Ships: Flo-Flo
 - Various Types of Heavy Lift Ships: Ro-Ro
 - Major Heavy Lift Ships, Crane Types: Lift-on / Lift-Off
 - Difference between Pedestal crane and Mast crane
 - Heavy Lift Mast Cranes: 900 tons on J-Type Jumbo
 - Cargo Types: Petrochemical, Offshore, Floating Equipment
 - Cargo Types: Pressure vessels, Modules, Gasturbines
 - How to lift a Heavy Load with a floating vessel
 - How to rig a Trafo to a Lifting Beam
 - Lifting 3 Bullet tanks over PS on board (video)
 - How to prepare a Loading/Unloading Operation (Lo-Lo)
 - Check Stability of the Load
 - Examples of Stability of the Load
 - Stability of Heavy Lift Ships - Basics
 - Stability of Heavy Lift Ships - Introduction
 - Stability of Heavy Lift Ships - Definitions
 - Calculation of Metacenter of a ship
 - Lifting a 187 Tons Bridge Section with 2 Cranes on 2 barges: Incident in Netherlands
 - Video Registration of the Incident
 - Stability during the lifting operation and moving the load
 - Basic Stability Calculation of barge with Mobile crane on deck:
 - Calculation of GM Value
 - Effect of shifting the load Transversely
 - Sequence of Events, Looking at the angle of the Aft Crane
 - Stability of Heavy Lift Ships: Free Surface Area
 - Arm of Stability - Uprighting Moment
 - Stability Range of a Heavy Lift Ship
 - Stability Requirements of IMO
 - How can the Stability of a Ship be influenced
 - Change of CoG of Ship due to cargo loading
 - Stability Example
 - CoG of load when freely suspended in crane
 - Use of Ballast water
 - Sea fastening of Cargo on Heavy Lift Ships
 - Motion Analysis of vessel
 - Checklist for Lashing & Securing
 - Examples of Sea fastenings (Jumbo)(Lashing wires + Stoppers)
 - Examples of Sea fastenings (Jumbo+SAL)(Lashing wires)
 - How to lash a Harbor Crane (Jumbo) (Lashing wires + Stoppers)
 - Lashing examples SAL: 1100 Tons Ship loader
 - Calculation of Sea fastening Forces

ADVANCED HEAVY LIFT AND TRANSPORTATION:

Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

Best Practices and Standards in Management, Calculation, Application and Safety

26th – 29th November 2018 | London, UK

Course Outline

- How to calculate the required number of lashings?
 - Division of Forces over stoppers due to location of CoG
 - Examples of Sea fastenings (Jumbo)(Lashing wires + Stoppers)+ Tycan
 - How to lash a Heavy Pressure vessel (Lashing wires + Stoppers)
 - Visual Cargo Care: Sea fastening Software
 - Lashing & Securing Methods
 - Recommendations
- 12. Wind Turbines: Onshore & Offshore Installation**
- Wind Turbine Basics
 - Wind is Not a Predictable Energy Source
 - Where is the Wind Industry Heading?
 - Main components of a Wind Turbine (with Gear Box)
 - Direct Drive Wind Turbines (No Gearbox)
 - Largest Wind Turbines (most of them Direct Drive)
 - Enercon E126-7.58 Mw Direct Drive Concept
 - Wind Turbine Foundation Types
 - Most Popular Foundation Types: Offshore
 - Other Offshore Foundation Developments
 - Transport Limitations on Land
 - How is an Onshore Wind Turbine built?
 - For installation Large Cranes required
 - The Lagerwey MST (Modular Steel Tower)
 - Innovations on Towers & Climbing Cranes
 - New Challenges for Mobile Cranes due to Increasing Hub heights of Wind Turbines
 - Indicative Weights of Turbine Components
 - Weight estimates on 5 Mw, 8 Mw, 10 Mw and 20 Mw Wind Turbines
 - Some Offshore Access Systems (Heave Compensated)
 - Installation of Mono Piles & Jackets
 - Piling of Mono Piles & Jackets
 - Piling Hammers
 - Blue Piling Hammer working Principle
 - Blue Piling Hammer Details
 - BLUE Piling: Reducing Pile Fatigue
 - Blue Hammer Stability with water mass
 - The Hybrid Mono pile (Fistuca)
 - Installation of Tower, Nacelle and Blades
 - Special Tools for Handling Components
 - Installation of Sub Station & Subsea Cables
 - What can go Wrong with Turbines?
 - Major Offshore EPC Wind Farm Contractors
 - Installation vessel Owners
 - Large Offshore Crane manufacturers
 - Overview of Vessel Dimensions and Deck Space
 - New Generation Jack-up vessel needed
 - Recommendations on Logistics
 - Wind Turbine Installation vessel: Innovation (DEME Group)vessel: Orion (DEME Group)
 - Wind Turbine Installation vessel: Scylla (Sea Jacks)
 - Wind Turbine Installation vessel: Oleg Strashnov (SHL)
 - Wind Turbine Installation vessel: Stanislav Yudin (SHL)
 - Wind Turbine Installation vessel: BokaLift 1 (BosKalis)
 - Wind Turbine Installation vessel: Vole Au Vent (Jan de Nul)
 - Wind Turbine Installation vessel: Aeolus (Van Oord)
- 13. Offshore Lifting and Installation Techniques**
- Introduction to the Offshore World
 - Offshore Production Platform Types
 - Subsea Structures
 - Field Development (Subsea Structures)
 - Subsea Installation Techniques
 - Types of Offshore Installation Vessels
 - Largest Offshore Construction Vessel in the World „Pioneering Spirit“
 - Overview of the World largest Crane Vessels
 - Largest Crane Vessel in The World SSCV Thialf (Heerema)
 - Semi Submersible Crane Vessel Saipem 7000
 - Mono Hull Crane Vessel „Oleg Strashnov“
 - Comparison Mast Crane - Pedestal Crane
 - Monohull Crane + Pipe laying Vessel „Subsea7 Borealis“
 - Monohull Crane + Pipe laying Vessel „Aegir“ (Heerema)
 - Comparison 5000 Ts Mast Crane - 5000 Ts Pedestal Crane
 - Catamaran Crane Vessel „Svaenen“ for Wind farm Construction
 - Catamaran Crane Vessel „Rambiz“ for Windfarm Construction
 - Pipe lay Methods and vessels
 - S-Lay PipeLay Vessel Solitaire (Allseas)
 - Reel Lay Spool base (Subsea 7)
 - Reel Lay Pipe lay vessel Deep Blue (Technip)
- S-Lay Pipe lay Vessel Global Industries (Technip)Largest Semisubmersible Transport Vessel Dockwise Vanguard
 - Float over Techniques for extreme Topsides
 - Float over North Rankin Field (Australia)
 - Renewable Energy9
 - Jack-up Wind Turbine Installation vessels
 - Installation Methods for Offshore Wind Turbines
 - Case Study: Cascade Chinook Riser Installation
 - Jumbo's Deepwater winches (up to 3000 m water depth)
 - Deepwater Capabilities with Dyneema
 - Case Study: Transport & Installation of Risers
 - Sailing to Cascade Chinook Offshore location
 - Unreeling of 410 Tons Riser (2300 m)
 - Wet Handshake of 410 Tons Riser
 - Video Cascade Chinook Project (2700 m Water Depth)
 - Case Study: KIKEH Mooring Piles Transport & Installation at -1300 m
 - Project Location
 - Field Lay-out
 - Over boarding of Piles (max. 140 Tons, 34-60 m long)
 - Kikeh Project Video
- 14. Accidents and how to avoid them**
- Tipping of Trailer with 203 Tons Load
 - The Accident
 - Accident Analysis
 - Conclusion Accident
 - The Salvage
 - Rules on Trailer Stability needed or not??
 - Video: Tipping of Transport Combination
 - Some transport accidents
 - Video: Trailer tipping over
 - Some Transport Accidents
 - Video: Trailer tipping over
 - Transport Accidents
 - Transport Accident Analysis
 - Some transport accidents
 - Some Crane accidents
 - Collapse of Gantry crane
 - Load-out of 1000 Tons module went wrong
 - The Salvage
 - Car over the side
 - A similar case, but worse!
 - Load-out of Living quarters and tipped over
 - Mechanical Failure of support girders
 - Tipping over of Hydraulic Gantry
 - Roll-off with reactor from barge (weak bottom)
 - Video: Roll-off with 790 Ts reactor and transport to job site
 - Some recommendations to avoid accidents
 - Lots of Success in your further career
- 15. The DO's & DON'TS in Lifting (Summary)**
- Content of Presentation
 - The Do's & Don'ts in Lifting
 - Compilation of Accidents (Videos)
 - Some Statistics on Crane/Lifting accidents
 - What Factors Might Reduce the Risk of a Crane Accident?
 - How to quickly estimate Forces in Lifting Slings
 - Lift Beam and Spreader
 - Define the sling length and Force with the Graphical Method
 - The Stability of a Crane (animation)
 - Unloaded Crane can still tip over
 - The Stability of the Load to be lifted (animation)
 - The Stability Range (video accident)
 - The Stability of the Load to be lifted (Video)
 - Fatal Crane Accident in Vung Tau, Vietnam
 - Crane Tipped over in the UK and Holland
 - Rigging Failed
 - Soft Slings were cut, due to not using proper sling protectors
 - Yacht falls out of tackles(Video)
 - Know the weight of your load and select the right crane! (Video)
 - Compilation of Accidents (Video)
 - Lifting a 120 tons Rotor into a river barge went wrong
 - Schematic of Forces in the Lifting Slings of Rotor
 - How could it safely be rigged
 - This could have been the correct way
 - Largest Mobile Cranes available today
 - Mammot Platform TwinRing Containerised (PTC-DS200 and DS-140)
- *THERE WILL BE AN EVALUATION TEST AT THE END OF THE COURSE**

ADVANCED HEAVY LIFT AND TRANSPORTATION:

Onshore & Offshore Lifting and Installation Techniques, Heavy Lift Shipping & Wind Turbines

Best Practices and Standards in Management, Calculation, Application and Safety

26th – 29th November 2018 | London, UK

Partial List of Our Clients



MALAKOFF



Technip



SCHOLPP
Worldwide Industrial Installations

ارامكو السعودية
Saudi Aramco



Expeditors



Petrofac



INPEX



PORTEK
Knowledge & Solutions in Port Business



FOSTER WHEELER



TonenGeneral Group



REGISTRATION

OLYGEN PTE LTD | TEL: +65 6631 9763

Contact: Alvin Yong

Email: alvin.yong@olygen.com

26th - 29th November 2018 • London, UK

EARLY BIRD RATE
(Book and Pay before
31 Aug 2018)

REGULAR RATE

Advanced Heavy Lift and Transportation

£2,699

£3,499

*Fees include course documentation, luncheon and refreshments. Delegates are responsible for their own accommodation.

Organisation : _____
Invoice Attention To : Mr/Ms/Mrs: _____
Job Title : _____
Email : _____
Address : _____
Telephone : _____ Fax: _____

DELEGATES' DETAILS

Name	: Mr/Ms/Mrs: _____	Name	: Mr/Ms/Mrs: _____
Job Title	: _____	Job Title	: _____
Mobile Number	: _____	Mobile Number	: _____
Email	: _____	Email	: _____
Diet Preference	: None/Vegetarian/Halal/Others: _____	Diet Preference	: None/Vegetarian/Halal/Others: _____

Name : Mr/Ms/Mrs: _____
Job Title : _____
Mobile Number : _____
Email : _____
Diet Preference : None/Vegetarian/Halal/Others: _____

PAYMENT BY CREDIT CARD

VISA/MASTER - You will be sent a Payment Link to pay online

Card Type : AMEX
Card No. : _____
Expiry : _____ (MM/YYYY)
Name : _____
Signature : _____

* 3.5% surcharge applies for credit card payment

AUTHORISATION

Name : Mr/Ms/Mrs: _____
Title : _____
Signature : _____
Date : _____

PAYMENT BY BANK TRANSFER

BANK TRANSFER
Olygen Pte.Ltd.
United Overseas Bank Limited Singapore
Bank Address: 80 Raffles Place UOB Plaza
Singapore 048624
Account No: 374-304-795-6
Swift Code: UOVBSGSG

TERMS & CONDITIONS

Payment Terms: Payment is required within 7 days of invoice date. Olygen reserves the right to refuse admission IF payment is not received before the event date. Transfer: Transfer is allowed upon written notification. Cancellation: Registration carries a 50% cancellation liability, notwithstanding, full fee is payable when cancellation is less than two (2) weeks before the event. Cancellation has to be done in writing. If Olygen decides to cancel or postpone this event, it is not responsible for covering airfare, hotel, or other travel costs incurred by clients. The fee will not be refunded, but credited to a future event. No Show: No show does not constitute transfer or cancellation and the full fee is payable. Changes: Olygen reserves the right to change event dates, venue, speakers, or omit event features, or merge the event with another event, as it deems necessary without penalty, refunds or alternative offers. Tax: Registration fees exclude tax. For clients outside Singapore, the sum payable is as the listed fees, exclusive of tax. To this sum shall be added any other local tax or withholding tax from client's country of origin, if any. Marketing: Olygen may use your company's logo or business name or otherwise refer to your company in our website, any marketing, promotional or advertising material as a client of our services. Governing law: This Agreement shall be governed and construed in accordance with the law of Singapore and the parties submit to the exclusive jurisdiction of the Singaporean Courts in Singapore. Indemnity: Should for any reason outside the control of Olygen, the event be cancelled due to an act of terrorism, extreme weather conditions or industrial action, Olygen shall endeavour to reschedule but the client hereby indemnifies and holds Olygen harmless from and against any and all costs, damages and expenses, including attorney's fees, which are incurred by the client.